

SEQUENCE LISTING

<110> Noriko, Okada
 Hidechika, Okada

<120> Human IgM monoclonal antibody that induce complement mediated cytolysis of activated human lymphocytes.

<130> T-070102-2

<150> 2002-227952

<151> 2002-07-01

<160> 2

<170> PatentIn version 3.1

<210> 1

<211> 481

<212> DNA

<213> Unknown

<220>

<223> variable region of human μ -chain

<220>

<221> V-region

<222> (1)..(481)

<223>

<400> 1

gctgaattct ggctgaccag ggcagtccacc agagctccag acaatgtctg tctcccttcct	60
catcttcctg cccgtgcctgg gcctccatg gggtgtcctg tcacaggtac agctgcagca	120
gtcagggtcca ggactggiga agcccgcgca gaccctctca ctcacctgtg ccatctccgg	180
ggacagtgtc tctagcaaca gtgcatacttg gaactggatc aggtagcccc cattgagagg	240
ccttggatgg ctggaaagga catactacag gtccaaatgg tataatgatt atgcagtatc	300
tgtaaaaagt cgaataacca tcaacccaga cacatccaag aaccaggttct ccctgcagct	360
gaactctgtg actcccgagg acacggctgt gtattactgt gcaagagaga attactatgg	420
ttcggggagg tacaacttgt tcgaccctg gggccaggga accctggtca ccgtctccctc	480
a	481

<210> 2

<211> 401

<212> DNA

<213> Unknown

<220>

<223> variable region of human k-chain

<220>

<221> V-region

<222> (1)..(401)

<223>

<400> 2

tgcaggaca cagcatggac atgagggtcc ccgctcagct cctggggctc ctgctgctct	60
ggttcccagg ttccagatgc gacatccaga tgacccagtc tccatcttcc gtgtctgcat	120
cgttaggaga cagagtacc accacttgtc gggcgagtc ggttattagc agctggttag	180
cctggtatca gcagaaacca gggaaagccc ctaagctctt gatctatgtt gcatccagg	240
tgc当地gg ggtcccatca aggttcagcg gcagtggatc tggacagat ttcactctca	300
ccatcagcag cctgcagcc gaagattttcaacttacta tttcaacag gctaacagtt	360
tccctctcac ttccggcgga gggaccaagg tggagatcaa a	401